



Rollerdor

THE ROLLER GARAGE DOOR SPECIALISTS

★ REVIEWS.io



4.8 Average
2472 reviews

*Figures correct as of 14/12/2021



Proud To Be A
UK Manufacturer



**UK
CA**



ISO
9001 : 2015
14001 : 2015

INTEGRATED
MANAGEMENT
SYSTEM

REGISTERED

Certificate
No:379012021

CONTENTS

- 3** Why use Rollerdoor?
- 4** RD77 Roller Garage Doors
- 5** About the RD77 Range
- 6** RD55 Roller Garage Doors
- 7** About the RD55 Range
- 8** Colour Options
- 11** Construction Parts of a Roller Garage Door
 - 11** Slats
 - 12** Guide Runners
 - 13** Base Rails
 - 14** Roll Housing
 - 16** Control Systems
 - 18** Supply Only (DIY)

WELCOME TO



At Rollerdoor we place customer care at the heart of everything we do – with a team dedicated to providing our clients with the best experience. For over a decade we’ve served countless homeowners providing them with roller doors that enhance their property. We only use premium materials that provide longevity, ensuring you’re provided with something that lasts. All our doors come with UKCA marking, which demonstrates that they meet the relevant health, safety and environmental guidelines giving you peace of mind that all of our products are of the highest standard, meaning above all, you’re choosing quality.

“Excellent product’s, good back up with helpful technical help from competent staff plus great priced products.”

Spencer, FY5 3EH



WHY USE ROLLERDOR?

At Rollerdoor, we manufacture and supply quality roller garage doors to customers nationwide. With more than a decade of experience behind us, we'll tailor our products specifically to your needs, helping you to maximise your garage space and make the most of your property's bespoke requirements. What's more, all our garage doors are UKCA marked and meet British standards, giving you peace of mind that they're professionally manufactured to the highest quality.

WHY CHOOSE A ROLLER GARAGE DOOR?

Roller doors can bring a whole host of benefits to your property. Not only can they maximise space in a way other door types can't, but they also help with energy efficiency and security.



Improved insulation



Strong physical barrier



Highly secure and effective deterrent for break-ins



Reduced sound pollution



Quiet, smooth functionality




Protection against volatile weather



Parts are made from powder-coated or painted aluminium



Electric Operation



“Great product and great value. Great support when we were installing the door, spoke to a real person who talked me through the wiring. All good!”

Smith, BH23 4ND



RD77 ROLLER GARAGE DOOR

For the perfect blend of style, security, functionality and affordability, our RD77 range is exactly what you're looking for. Perfect for single, large or double garages, these roller doors are compact, secure and efficient. They maximize space in your garage whilst maintaining a simple, stylish operation. In fact, every aspect of the RD77 range is built to improve and enhance your lifestyle.

The RD77 range of doors have a maximum opening width of 4875mm (16ft), comes with two remotes as standard with two occupants in mind, meaning that neither user has to go without the added convenience and ease of use that remote access offers. It is created to be strong, durable and efficient with only a 300mm (12 inch) square fully boxed housing and 95mm (4 inch) guide runners the RD77 is designed to be as compact as possible to take up minimal storage space within your garage.

Whatever style you prefer, RD77 roller doors come with a huge range of colour options to match your precise requirements and with a number of optional extra features available they can be tailored to your needs.

ABOUT THE RD77 RANGE

Supply Only (DIY) - Take installation into your own hands with help from our detailed step-by-step guides - which you can find at www.rollerdor.net. This range is fantastic if you're on a budget but don't want to compromise on quality - and comes automated with a two year parts only warranty.

	Supply only
Web based In-depth Installation Instructions	✓
Number of handsets	2
Internal Manual Override	✓
External Manual Override	Optional
Hardwired Safety Edge	✓
Wireless Safety Edge	Optional
Somfy 5 year motor warranty upgrade	Optional
Upgrade to Somfy wireless safety edge control box with Light, Alarm & extended 5 year parts warranty	Optional
Warranty period	2 Year Parts Only
Rubber Profile for the Bottom slat / Base Rail	✓
Extruded 78mm Aluminium Bottom Slat / Base Rail	✓
Full Canopy Top Box 300mm square	✓
Powder Coated Colour Range	16
Special RAL's available	✓
Laminate Wood Effect Colour Range	13

SPECIFICATION

General

Top Box: 300mm (12 inch) Sq
Guide Runner Width: 95mm (4 inches)
Slat Height: 77mm (3 inch)
Slat Depth: 18mm (3/4 inch)

RD77 Single

Max. curtain surface area: 15 square meters
Max. opening width up to: 2590mm (8ft 6")
Max. opening height up to: 2590mm (8ft 6")

RD77 Large

Max. curtain surface area: 15 square meters
Max. opening width up to: 3505mm (11ft 6")
Max. opening height up to: 2590mm (8ft 6")

RD77 Double

Max. curtain surface area: 15 square meters
Max. opening width up to: 4875mm (16ft)
Max. opening height up to: 2285mm (7ft 5")

“Just fitted my RD55 Door which took less than an hour minus the electrics. Very happy and looks great.”

Moore, SS8 8NY



RD55 ROLLER GARAGE DOOR

Ideally suited to single sized garages, our slimline RD55 range allows you to maximise space both inside and outside your garage. The maximum total width of an RD55 door is up to 2440mm (8ft), including the frame, due to the compact nature of the RD55's slim line 205mm (8inch) square top box and space saving 65mm (2inch) guide runners it's truly built with scale in mind.

While compact, our RD55 range doesn't skimp on security or functionality. All RD55's are strong, robust and provide smooth, easy operation that will last for years to come.

With this in mind all the RD55 Roller garage doors come remote controlled with 2 handsets, internal manual override and hard wired safety edge as standard.

ABOUT THE RD55 RANGE

	Supply only
Web based In-depth Installation Instructions	✓
Number of handsets	2
Internal Manual Override	✓
External Manual Override	Optional
Hardwired Safety Edge	✓
Wireless Safety Edge	Optional
Somfy 5 year motor warranty upgrade	Optional
Upgrade to Somfy wireless safety edge control box with Light, Alarm & extended 5 year parts warranty	Optional
Warranty period	2 Year Parts Only
Rubber Profile for the Bottom slat / Base Rail	✓
Extruded 55mm Aluminium Bottom Slat / Base Rail	✓
Full Canopy Top Box 205mm square	✓
Powder Coated Colour Range	14
Special RAL's available	✓
Laminate Wood Effect Colour Range	✗

SPECIFICATION

General

Top Box: 205mm (8 inch) Sq
 Guide Runner Width: 65mm (2 1/2 inches)
 Slat Height: 55mm (2 inch)
 Slat Depth: 8mm (1/4 inch)

Compact RD55 Single

Max. curtain surface area: 7 square meters
 Max. opening width up to: 2310mm (7ft 7")
 Max. opening height up to: 2285mm (7ft 5")



COLOUR OPTIONS

We understand that alongside excellent quality, style and aesthetic appeal is a very important feature for any roller garage door. That's why with Rollerdoor there's no need to worry about finding that perfect shade for your garage door; with fifteen standard colours, 3 laminate wood effects and the custom RAL colour options to choose from, you can go as bold or as understated as you want.



Our colour options are extensive, diverse and will ensure a perfect finish to your garage door preference - whether you want to go bold with a statement double garage, or you prefer a more subtle approach with contemporary neutral tones that complement the existing decor of your home.

From start to finish Rollerdoor aims to produce a garage door service that truly enhances your day-to-day lifestyle, and our beautiful range of colour options is a testament to this. Whatever style, taste or theme you require, Rollerdoor has a colour to suit.



With our standard colours we can quote references that are the nearest standard RAL, they will not be an exact match and are intended as a guide only but there is nothing like the real thing so we also offer free colour samples that can be delivered to you.

Within our range we also offer a colour match of the guides, base rail, header plates and roll housing which we try to make as exact as possible to the slat colour, due to the manufacturing process of the slat profile resulting in a textured finish while all other coloured items are supplied in a smooth finish we cannot guarantee an exact match.



RAL colour options available



Green



Anthracite



Cream



White



Red



Brown



Black



Ivory



Chartwell Green



Blue



Beige



Light Grey



Painted Golden Oak



Painted Rosewood



Irish Oak Laminate



Golden Oak Laminate



Rosewood Laminate

Also available in a laminate wood effect:

-  Black
-  Fir Green
-  Anthracite
-  White
-  Dark Brown
-  Blue
-  Agate Grey
-  Cream
-  Chartwell Green
-  Wine Red

* Laminate and Irish Oak options are only available in RD77 range

FREE COLOUR SAMPLES

These are photographic representations of our colours and although we have matched them as close as possible there is nothing like the real thing. We offer free colour samples that can be delivered to you, if you are interested in a sample then please let us know what colour and the address to send it to then we will get this arranged for you.

*Please be aware that all colours can vary slightly due to batch variations.

CONSTRUCTION PARTS OF A ROLLER GARAGE DOOR

SLATS

We want our products to reflect our quality craftsmanship, which is why all of our slats are double skinned with a thick foam filled insert and constructed out of strong, robust aluminium for longevity and durability.

RD55 Slats

The slats for our RD55 range of doors are 55mm high and 8.2mm thick with a foam filled insert. The slats are made from powder coated aluminium available in a choice of 14 colours.

RD77 Slats

Our range of RD77 slats are 77mm high and 18mm thick with a foam filled insert. Our slats are constructed out of high quality, powder coated aluminium and are available in any of the 18 colours in our range, with 15 painted colours and 3 laminate options to give you a wide range of aesthetic options.

Our slats are accurately cut and assembled into the curtain by our own on-site team using state of the art machinery to match each individual doors specifications, ensuring a perfect fit for every door frame, a strong seal and a long-lasting door.

Our double skinned aluminium slats offer many benefits over single metal sheet doors, including:

- Increased insulation
- Strong physical barrier
- Reduced likelihood of break-ins
- Increased protection from ultraviolet and infrared rays
- Reduced sound pollution
- Protection against volatile weather
- Space saving within the garage
- Quieter functioning

GUIDE RUNNERS

We stock a large supply of robust and durable aluminium powder coated guide runners, constructed to the highest quality using the finest materials. Our guide runners are specially designed to allow the curtain to run smoothly and with the double brush in the guide runner to protect the roller door system from debris that can get caught, as well as help reduce drafts. Our guide runners will ensure a long lasting, quality product to ensure complete satisfaction for you.



RD55 Guide Runner

- Aluminium
- Double Brush
- 65mm width
- 27mm depth
- Standard range of 14 colours
- RAL colour match available

RD77 Guide Runner

- Aluminium
- Double Brush
- 95mm width
- 34mm depth
- Standard range of 15 colours
- RAL colour match available

BASE RAILS



Our base rails are made from extruded aluminium to increase the strength of the curtain of the door, ensuring the longevity of our roller garage doors. All of our base rails come as standard with a rubber strip in the bottom edge to help with insulation and noise reduction, while also working as a deterrent to pests and to provide protection against water ingress; our rubber seals help to keep your garage protected all year round.

RD55 Base Rail

The last slat of the RD55 base rail is an extruded aluminium slat, powder coated to match the curtain colour. The slat is hollow, 49mm high and 8.2mm thick; there is a small rubber insert at the bottom to cushion the door, with the rubber seal being 6mm wide and 6mm high.

RD77 Base Rail

The RD77 roller garage door has a base rail of powder coated extruded aluminium, made to match the colour of the door's curtain. The slat is hollow, 78mm high and 18mm thick with a rubber seal 15mm in width and 15mm high.



ROLL HOUSING

All of our roller doors are fully enclosed in a roll housing that is designed so it can be installed in a variety of ways:

- ❧ Inside the garage behind the lintel
 - ❧ A limited fixing so as much as possible is behind the lintel
 - ❧ Fully below and in the opening of your garage
 - ❧ With the addition of silicone to help seal the joints they can even be installed outside your garage
- (Please Note* The roll housing will be visible and the concave face of the door slats faces outwards, with an external fitted shutter)

We supply a fully enclosed roll housing because it is part of the machinery directive to stop entrapment, and ensures the longer lasting life of the internal mechanism. The enclosed roll housing is constructed out of strong and durable aluminium and can help protect your garage door from any accidental damage that can affect the functionality of your door. Our roll housing and guide runners come as standard in white, but we do offer a colour match facility where possible as an optional extra.



Benefits of a Roll Housing

- ❧ Provides a fascia for the door
- ❧ Provides the curtain with weather protection all round
- ❧ Protects the components of the door from dust or debris that can jam mechanisms
- ❧ Creates a very neat appearance
- ❧ Reduces operating noise
- ❧ Increases the insulation and draught-proofing qualities of the door
- ❧ Reduces the risk of fingers, ties, hair etc. being caught up in the mechanisms



“Delivered on time and fitting was easy. Very good product.”

Harris, SS15 4AY



CONTROL SYSTEMS

Through the construction of our doors and the integration of the latest cutting-edge technology, our roller doors strike the perfect balance between security and convenience. With this in mind we offer simple controls which operate on a hold to run operation through to our Somfy Branded system with alarm.



ROLLERDOR & SOMFY

We're proud to have partnered with Somfy - a world-recognised automation and security company - to supply a range of their controllers, motors and home automation products. With this in mind you can upgrade your door to a somfy control system or motor and these components will benefit from an additional warranty period to cover them for 5 years on a parts only basis from date of purchase.

Rocker Switch

- ✔ Hold to Run operation
- ✔ Door can only be operated by someone inside the garage
- ✔ Large rocker button for ease of use

Key Switch

- ✔ Hold to Run operation
- ✔ Can be installed so the door can be operated by someone either inside or outside the garage
- ✔ Security keys needed to operate the switch

Remote Control Hardwired Safety Edge

- ✔ Automatic Operation open & close
- ✔ Safety edge device with curly cable
- ✔ Optical cell through the base rail rubber which travels with the door curtain

Remote Control Wireless Safety Edge

- ✔ Automatic Operation open & close
- ✔ Wireless safety edge device via battery operation
- ✔ Safety edge device which travels on the last slat of the door curtain

Remote Control Wireless Safety Edge with Alarm

- ✔ Automatic Operation open & close
- ✔ Wireless safety edge device via battery operation
- ✔ Safety edge device which travels on the last slat of the door curtain
- ✔ Audible alarm system should someone try to pry your door open from the outside

Somfy Remote Control Wireless Safety Edge

- ✔ Automatic Operation open & close
- ✔ Wireless safety edge device via battery operation
- ✔ Safety edge device which travels on the last slat of the door curtain
- ✔ Audible alarm system should someone try to pry your door open from the outside
- ✔ 5 Year parts warranty on the control system

SUPPLY ONLY (DIY)

Rollerdor is proud to be one of the leading providers of roller garage doors throughout the UK. We take great pride in being able to offer a fully comprehensive service tailored to your specific requirements. Our tailored service is the ideal solution for our customers; whether you require a complete end-to-end fully installed solution, or you just need a quality garage door delivered directly to you anywhere in the mainland UK, we have a choice available for you.

Installing a roller garage door yourself means there will be no installation fee which is a great way to save money, while still receiving the same high-quality product. So if you're on the lookout for DIY roller garage doors, then chances are you want something straightforward and easy to assemble. By opting for roller garage doors from Rollerdor, you can rest assured that you'll get exactly that! With all of our products coming with a simple, easy to understand downloadable installation guide that gives you step-by-step instructions on the process. However, if you did get stuck then our helpful technical team are available on the end of the phone to support you. This bespoke, made-to-measure service means that you know the roller garage door will perfectly align with your home, and as soon as it arrives at your door you can install it without any complications.

- Provides a fascia for the door
- Electric Roller Garage Door
- Receiver boxes come with two handsets
- Bespoke made to measure
- 2 year parts warranty
- All doors UKCA marked
- Generic fixing kit supplied
- Downloadable installation instructions via QR code



“Not having ever had an electric garage door it was really satisfying to find a company that gave me exactly what I asked for at a very fair price. I am really pleased with the advice and service I had from them. Came out to measure up to confirm details I had already sent in, speedy email for a quote, and the guys who came to fit were very quick and tidy - they have done a super job. I’m really pleased with it.”

Gill, PE19 5UE



HOW IT WORKS:

1. Measure

You'll need to determine a few specifications before ordering your DIY roller garage door. Record measurements of your current garage door to ensure you order a new door that fits perfectly. Measurements will need to be taken of the width, height, pillar width, motor side and top roll height. For a measuring guide see page 28.

2. Choose

We stock a variety of garage door types, styles and colours. It's important you've researched all of the options before choosing a roller garage door. Take a look across our website to view our extensive product range or call our helpful team for support.

3. Contact

Get in touch with us over the phone or online to begin the purchasing process. If you have used the online price calculator on the Rollerdoor website, you can follow up on the price by completing the purchase online. If you haven't used the calculator, one of our friendly and experienced team members will listen to your inquiry and seek to provide an estimated price once we've received your product requirements and measurements.

4. Pay

Payment is required on purchase of the product. Payments can be made by cheque, credit card (not American Express), Paypal or by BACS to our nominated Bank account as appears on our invoice.

5. Confirmation

You will receive a confirmation email to approve that the details you have provided are accurate. Please follow the instructions in this email to confirm your order. Once confirmed, you will receive a link to our website with your installation instructions and we will start the manufacturing process.

6. Delivery

You will receive an email close to the date of your delivery. The email will indicate a date and time slot for delivery. Please follow the instructions in this email to confirm


7. Self Installation

Your installation instructions were provided by email on confirmation but if you can not find these, then don't worry there is a QR code on the front of the Operation, Maintenance and Servicing Manual provided with the door or you can find them on our website www.rollerdor.net in the customer support section.



Name	Address
Tel	

PLAN OF WHERE TO TAKE MEASUREMENTS



1 Opening Width _____ mm



2 Opening Height _____ mm

3 Headroom Height _____ mm



4L Side Room _____ mm

4R Side Room _____ mm

Aerial View Of Garage



Which Side Is The Power Supply On? ☐ Left
☐ Right



Notes

- All measurements should be taken from multiple places and the smallest size used.

➤ Please make us aware of any heating pipes, water pipes, ducts, electrical cables or anything else that may impede the installation of your new door.



Rollerdor Ltd
10 Jarrold Way
Bowthorpe Employment Area
Norwich
Norfolk NR5 9JD

0800 030 9729

sales@rollerdor.net

www.rollerdor.net

Company Registration Number. 10676267



ISO
9001 : 2015
14001 : 2015
INTEGRATED
MANAGEMENT
SYSTEM
REGISTERED
Certificate
No 379012021